

Material Safety Data Sheet This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

CLASS E: Corrosive liquid.

Class: Irritating substance.

WHMIS (Pictograms)

DSL/ NDSL

WHMIS (Classification)

All components listed unless noted elsewhere on this MSDS

HCS

Section 1. Chemical Product and Company Identification			
Product Name/ Trade name	Cide-Bet, Fresh and Clean	Code	088
Synonym	Hospital Disinfectant Foaming Germicidal Cleaner	CAS#	Mixture.
Chemical Family	Not available.	Validation I	Date 3/2/2007
Chemical Formula	Not applicable.	Print Date	3/23/2007
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Oh 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DCI / NDCI	All components listed upless noted elsewhere on this MCDS		Protective Clothing

Section 2. Composition and Information on Ingredients				
Name	CAS#	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
2-Butoxyethanol	111-76-2	0-5	TWA: 20 (ppm) from ACGIH (TLV) [United States] TWA: 50 (ppm) from OSHA (PEL) [United States]	ORAL (LD50): Acute: 1746 mg/kg [Rat].
Sodium Metasilicate	6834-92-0	0-5	Not available.	Not available.
Tetrasodium salt of ethylendiaminetetraacetic acid	64-02-8	0-5	Not available.	ORAL (LD50): Acute: 3030 mg/kg [Rat].
Diethylene Glycol Ethyl Ether	111-90-0	0-5	TWA: 25 CEIL: 25 (ppm)	ORAL (LD50): Acute: 5540 mg/kg [Rat].
Nonionic Surfactant	127087-87-0	0-5	Not available.	Not available.
Sodium Nitrite	7632-00-0	<1	Not available.	Not available.
Perfume Oil	N/A	0-5	Not available.	Not available.
Liquified Petroleum Gas	68476-85-7	0-5	TWA: 1000 (ppm) TWA: 1000 (ppm) from OSHA (PEL) [United States]	Not available.
Quaternary Ammonium Chloride	68391-01-5	0.2	Not available.	Not available.

Section 3. Hazards Identification		
Potential Acute Health Effects	This product is an eye irritant. Skin Irritant.	
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis.	
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.	

Section 4. First Aid Measures		
Eye Contact	Hold eye open and rinse slowly and thoroughly with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
Skin Contact	Remove contaminated clothing. Rinse skin wih plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.	
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration., preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.	
Ingestion	Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do NOT induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person	

Section 5. Fire Fighting Measures	
Products of Combustion	Not available.
Fire Fighting Media and Instructions	Water fog ,dry chemical, CO2.
Special Remarks on Fire Hazards	N/A
Special Remarks on Explosion Hazards	Heated cans may burst.

Section 6. Accidental Release Measures		
Small Spill and Leak	Safety glasses recommended.	
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.	
	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.	

Section 7. Handling and Storage		
Precautions		
Incompatibility	None known.	
Storage	Keep out of the reach of children. Not for use or storage in or around the home.	

Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection Eye	s Safety glasses.
Bod	Lab coat.
Respirator	No special recommendations.
Hand	Gloves.
Protective Clothing (Pictograms)	

Exposure Limits

2-Butoxyethanol TWA: 25 (ppm)

TWA: 50 (ppm) from OSHA (PEL) [United States]

Liquified Petroleum Gas TWA: 1000 (ppm)

TWA: 1000 (ppm) from OSHA (PEL) [United States]

Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties			
Physical State and Appearance	Liquid.	Odor	Pleasant.
Molecular Weight	Not applicable.	Taste	
pН	12 to 12.8 [Basic.]	Color	White.
Boiling/Condensation Point	N/A		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	Not available.		
Vapor Pressure	50 psig @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	95		
VOC	Not available.		
Evaporation Rate	<1		
Dispersion Properties	See solubility in water.		
Solubility	Easily soluble in cold water.		
The Product is:	May be combustible at high temperature.		
Auto-ignition Temperature	Not available.		
Flash Points	Not available.		
Flammable Limits	LOWER: 1.8% UPPER: 12%		
Fire Hazards in Presence of Various Substances	Not available.		
Explosion Hazards in Presence of Various Substances	Heated Cans May burst		

Section 10. Stability and Reactivity Data		
Stability	The product is stable.	
Incompatibility with Various Substances	None known.	
Hazardous Decomposition Will not occur. Products		

Section 11. Toxicological Information		
Routes of Entry	Eye contact.	
Toxicity to Animals	Acute oral toxicity (LD50): 1746 mg/kg [Rat]. (2-Butoxyethanol).	
Acute Effects on Humans		
Eye	s Eye irritant. Liquid and mist may damage the eyes causing corneal injury.	
Skii	Skin irritant. Prolonged or repeated contact may cause dermatitis.	
Inhalation	Vapors may be irritating to mucous membranes of the nose, throat, and lungs.	
Ingestion	• May be irritating to the mouth, throat, and gastrointestinal system. Vomiting and diarrhea expected with large doses.	
Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis.	
Special Remarks on Toxicity to Animals	Not available.	
Special Remarks on Chronic Effects on Humans	Not available.	

Section 12. Ecological Information		
Ecotoxicity	Not available.	
BOD5 and COD	Not available.	
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.	
Toxicity of the Products o Biodegradation	f Not available.	
Special Remarks on the Products of Biodegradation	Not available.	

Section 13. Disposal Considerations		
Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.	
Waste Stream	Not available.	

Section 14. Transport Information

DOT (U.S.A) (Pictograms)



TDG Classification Class 8: Corrosive material



PIN UN, Proper Shipping Shipping name: CORROSIVE LIQUIDS, N.O.S. UNNA: UN1760 PG: Not available. Name, PG

Maritime Transportation Not available.

Not available.

WHMIS (Classification)	CLASS E: Corrosive li	iquid.		
Regulatory Lists	No products were found.			
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).			
Other Classifications	HCS (U.S.A.)	Class: Irritating substance.		
	USA Regulatory Lists			
		SARA 311/312 MSDS distribution - chemical inventory - hazard identification: 2-Butoxyethanol: immediate health hazard, delayed health hazard; Diethylene Glycol Ethyl Ether: fire; Sodium Nitrite; Liquified Petroleum Gas: fire SARA 313 toxic chemical notification and release reporting: 2-Butoxyethanol; Diethylene Glycol Ethyl Ether; Sodium Nitrite		
	DSD (EEC)	This product is not classified according to the EU regulations.		
	International Regulations Lists	No products were found.		
Hazardous Material Information System (U.S.A.)	Health Flammability Physical Hazard	3 National Fire 1 Protection 0 Association (U.S.A.)	Health 3 1 Instability	

Section 16. Other Information Validated by CRushton on 3/2/2007. Verified by CRushton. Printed 3/23/2007. Information Contact Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 Notice to Reade To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with

caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Continued on Next Page